



COLLATED 21° PLASTIC STRIP NAILS

GENERAL CONSTRUCTION

- Bright Coated
- Electrogalvanized: All are in accordance with ASTM A 641, Class 1

Please Note - Electro Galvanized nails are not for use in cedar, cement board, redwood, most treated wood or exposed applications.

OUTDOOR CONSTRUCTION

- Outdoor Construction
All are in accordance with ASTM A153 Class D Standards and are suitable for most treated lumber
- Hot Dipped Galvanized
 - Hot Galvanized
 - Exterior Galvanized : Are in accordance with ESR-2914 and ASTM A153


PRIMEGUARD MAX

- Stainless Steel - AISI 304
- Stainless Steel - AISI 316 for marine applications

Grip-Rite Collated meet or exceed the ASTM F1667 Standard (if applicable).



TECHNICAL INFORMATION



NAIL WIRE DIAMETER	HEAD DIAMETER(D)	HEAD THICKNESS(B)	FINISH
0.113"	0.268"~0.285"	0.039"~0.049"	BRIGHT
0.120"	0.268"~0.285"	0.039"~0.049"	ELECTRO GALV.
0.131"	0.268"~0.285"	0.043"~0.059"	EXTERIOR GALV.
0.135"	0.268"~0.285"	0.043"~0.059"	HOT GALV.
0.148"	0.285"~0.302"	0.049"~0.063"	304 STAINLESS STEEL
0.162"	0.309"~0.341"	0.059"~0.071"	316 STAINLESS STEEL

NAILS/STRIP	RING (R)	SCREW(S)
28	Ø(+0.004"~+0.008")	Ø(+0.006"~+0.010")
24		

BEND YIELD, PSI	SMOOTH(Ø)	NAIL LENGTH	LENGTH TOLERANCE(L)
>100,000	0.113"(+0/-0.004")	1-1/2"	1.5"(+/-1/16")
>100,000	0.120"(+0/-0.004")	2"	2"(+/-1/16")
>100,000	0.131"(+0/-0.004")	2-1/8"	2.25"(+/-1/16")
>100,000	0.135"(+0/-0.004")	2-1/4"	2.25"(+/-1/16")
>90,000	0.148"(+0/-0.004")	2-3/8"	2.375"(+/-1/16")
>90,000	0.162"(+0/-0.004")	2-1/2"	2.5"(+/-1/16")
		3"	3"(+/-3/32")
		3-1/4"	3.25"(+/-3/32")
		3-3/8"	3.375"(+/-3/32")
		3-1/2"	3.5"(+/-3/32")



COLLATED 21° PLASTIC STRIP NAILS

PRODUCT SPECIFICATIONS

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GR112148	21° PLASTIC 1 1/2"X148 CTD SMOOTH 6M	21° PLASTIC RH STRIP	1-1/2"	.148	SMOOTH	6M	BRIGHT COATED
GR03L	21° PLASTIC 2"X113 CTD SMOOTH 2.5M	21° PLASTIC RH STRIP	2"	.113	SMOOTH	2.5M	BRIGHT COATED
GR03	21° PLASTIC 2"X113 CTD SMOOTH 5M	21° PLASTIC RH STRIP	2"	.113	SMOOTH	5M	BRIGHT COATED
GR04	21° PLASTIC 2"X113 CTD RING 5M	21° PLASTIC RH STRIP	2"	.113	RING	5M	BRIGHT COATED
GR7D148	21° PLASTIC 2 1/8"X148 CTD SMOOTH 4M	21° PLASTIC RH STRIP	2-1/8"	.148	SMOOTH	4M	BRIGHT COATED
GR7DL148	21° PLASTIC 2 1/4"X148 CTD SMOOTH 4M	21° PLASTIC RH STRIP	2-1/4"	.148	SMOOTH	4M	BRIGHT COATED
GR7DL148	21° PLASTIC 2 1/4"X148 CTD SMOOTH 4M	21° PLASTIC RH STRIP	2-1/4"	.148	SMOOTH	4M	BRIGHT COATED
GR7DL148	21° PLASTIC 2 1/4"X148 CTD SMOOTH 4M	21° PLASTIC RH STRIP	2-1/4"	.148	SMOOTH	4M	BRIGHT COATED
GR071M	21° PLASTIC 2-3/8" X .113 CTD SMOOTH 1M	21° PLASTIC RH STRIP	2-3/8"	.113	SMOOTH	1M	BRIGHT COATED
GR07L	21° PLASTIC 2 3/8"X113 CTD SMOOTH 2.5M	21° PLASTIC RH STRIP	2-3/8"	.113	SMOOTH	2.5M	BRIGHT COATED
GR07	21° PLASTIC 2 3/8"X113 CTD SMOOTH 5M	21° PLASTIC RH STRIP	2-3/8"	.113	SMOOTH	5M	BRIGHT COATED
GR08R1M	21° PLASTIC 2-3/8" X .113 CTD RING 1M	21° PLASTIC RH STRIP	2-3/8"	.113	RING	1M	BRIGHT COATED
GR08RL	21° PLASTIC 2 3/8"X113 CTD RING 2.5M	21° PLASTIC RH STRIP	2-3/8"	.113	RING	2.5M	BRIGHT COATED
GR08R	21° PLASTIC 2 3/8"X113 CTD RING 5M	21° PLASTIC RH STRIP	2-3/8"	.113	RING	5M	BRIGHT COATED
GR016	21° PLASTIC 2 3/8"X113 CTD SCREW 5M	21° PLASTIC RH STRIP	2-3/8"	.113	SCREW	5M	BRIGHT COATED
GR238120	21° PLASTIC 2 3/8"X.120 CTD SMOOTH 5M	21° PLASTIC RH STRIP	2-3/8"	.120	SMOOTH	5M	BRIGHT COATED
GR8D148	21° PLASTIC 2 3/8"X148 CTD SMOOTH 4M	21° PLASTIC RH STRIP	2-3/8"	.148	SMOOTH	4M	BRIGHT COATED
GR8D1481M	21° PLASTIC 2-3/8"X148 CTD SMOOTH 1M	21° PLASTIC RH STRIP	2-3/8"	.148	SMOOTH	1M	BRIGHT COATED
GR8D148R	21° PLASTIC 2 3/8"X148 CTD RING 4M	21° PLASTIC RH STRIP	2-3/8"	.148	RING	4M	BRIGHT COATED
GR8D148S	21° PLASTIC 2 3/8"X148 CTD SCREW 4M	21° PLASTIC RH STRIP	2-3/8"	.148	SCREW	4M	BRIGHT COATED
GR8D131	21° PLASTIC 2 1/2"X131 CTD SMOOTH 4M	21° PLASTIC RH STRIP	2-1/2"	.131	SMOOTH	4M	BRIGHT COATED
GR2121311M	21° PLASTIC 2-1/2"X131 CTD SMOOTH 1M	21° PLASTIC RH STRIP	2-1/2"	.131	SMOOTH	1M	BRIGHT COATED
GR212131R	21° PLASTIC 2-1/2"X131 CTD RING 5M	21° PLASTIC RH STRIP	2-1/2"	.131	RING	5M	BRIGHT COATED
GR212148	21° PLASTIC 2-1/2X.148 CTD SMOOTH 4M	21° PLASTIC RH STRIP	2-1/2"	.148	SMOOTH	4M	BRIGHT COATED
GR212148R	21° PLASTIC 2-1/2"X.148" CTD RING 4M	21° PLASTIC RH STRIP	2-1/2"	.148	RING	4M	BRIGHT COATED
GR3011M	21° PLASTIC 3"X.120 CTD SMOOTH 1M	21° PLASTIC RH STRIP	3"	.120	SMOOTH	1M	BRIGHT COATED
GR301L	21° PLASTIC 3"X120 CTD SMOOTH 2M	21° PLASTIC RH STRIP	3"	.120	SMOOTH	2M	BRIGHT COATED
GR301	21° PLASTIC 3"X120 CTD SMOOTH 4M	21° PLASTIC RH STRIP	3"	.120	SMOOTH	4M	BRIGHT COATED
GR3120S	21° PLASTIC 3"X120 CTD SCREW 4M	21° PLASTIC RH STRIP	3"	.120	SCREW	4M	BRIGHT COATED
GR0141M	21° PLASTIC 3" X .131 CTD SMOOTH 1M	21° PLASTIC RH STRIP	3"	.131	SMOOTH	1M	BRIGHT COATED
GR014L	21° PLASTIC 3"X131 CTD SMOOTH 2M	21° PLASTIC RH STRIP	3"	.131	SMOOTH	2M	BRIGHT COATED
GR014	21° PLASTIC 3"X131 CTD SMOOTH 4M	21° PLASTIC RH STRIP	3"	.131	SMOOTH	4M	BRIGHT COATED
GR014R	21° PLASTIC 3"X131 CTD RING 4M	21° PLASTIC RH STRIP	3"	.131	RING	4M	BRIGHT COATED
GR3131S	21° PLASTIC 3"X131 CTD SCREW 4M	21° PLASTIC RH STRIP	3"	.131	SCREW	4M	BRIGHT COATED
GR31481M	21° PLASTIC 3"X148 CTD SMOOTH 1M	21° PLASTIC RH STRIP	3"	.148	SMOOTH	1M	BRIGHT COATED
GR3148	21° PLASTIC 3"X148 CTD SMOOTH 4M	21° PLASTIC RH STRIP	3"	.148	SMOOTH	4M	BRIGHT COATED
GR444L	21° PLASTIC 3 1/4"X120 CTD SMOOTH 2M	21° PLASTIC RH STRIP	3-1/4"	.120	SMOOTH	2M	BRIGHT COATED
GR444	21° PLASTIC 3 1/4"X120 CTD SMOOTH 4M	21° PLASTIC RH STRIP	3-1/4"	.120	SMOOTH	4M	BRIGHT COATED
GR0241M	21° PLASTIC 3-1/4" X .131 CTD SMOOTH 1M	21° PLASTIC RH STRIP	3-1/4"	.131	SMOOTH	1M	BRIGHT COATED
GR024L	21° PLASTIC 3 1/4"X131 CTD SMOOTH 2M	21° PLASTIC RH STRIP	3-1/4"	.131	SMOOTH	2M	BRIGHT COATED
GR024	21° PLASTIC 3 1/4"X131 CTD SMOOTH 4M	21° PLASTIC RH STRIP	3-1/4"	.131	SMOOTH	4M	BRIGHT COATED
GR3141481M	21° PLASTIC 3-1/4"X148 CTD SMOOTH 980CT	21° PLASTIC RH STRIP	3-1/4"	.148	SMOOTH	980	BRIGHT COATED
GR3141483M	21° PLASTIC 3 1/4"X148 CTD SMOOTH 3M	21° PLASTIC RH STRIP	3-1/4"	.148	SMOOTH	3M	BRIGHT COATED
GR314148	21° PLASTIC 3 1/4"X148 CTD SMOOTH 4M	21° PLASTIC RH STRIP	3-1/4"	.148	SMOOTH	4M	BRIGHT COATED
GR314148S	21° PLASTIC 3 1/4"X148 CTD SCREW 4M	21° PLASTIC RH STRIP	3-1/4"	.148	SCREW	4M	BRIGHT COATED
GR338	21° PLASTIC 3 3/8"X131 CTD SMOOTH 4M	21° PLASTIC RH STRIP	3-3/8"	.131	SMOOTH	4M	BRIGHT COATED
GR312131L	21° PLASTIC 3 1/2"X131 CTD SMOOTH 2M	21° PLASTIC RH STRIP	3-1/2"	.131	SMOOTH	2M	BRIGHT COATED
GR312131	21° PLASTIC 3 1/2"X131 CTD SMOOTH 4M	21° PLASTIC RH STRIP	3-1/2"	.131	SMOOTH	4M	BRIGHT COATED



COLLATED 21° PLASTIC STRIP NAILS

PRODUCT SPECIFICATIONS

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GR3121311M	21° PLASTIC 3-1/2"X.131 CTD SMOOTH 1M	21° PLASTIC RH STRIP	3-1/2"	.131	SMOOTH	1M	BRIGHT COATED
GR3121354M	21° PLASTIC 3 1/2"X.135 CTD SMOOTH 4M	21° PLASTIC RH STRIP	3-1/2"	.135	SMOOTH	4M	BRIGHT COATED
GR312162	21° PLASTIC 3 1/2"X.162 CTD SMOOTH 2.5M	21° PLASTIC RH STRIP	3-1/2"	.162	SMOOTH	2.5M	BRIGHT COATED
GR312162	21° PLASTIC 3 1/2"X.162 CTD SMOOTH 2.5M	21° PLASTIC RH STRIP	3-1/2"	.162	SMOOTH	2.5M	BRIGHT COATED

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GR05GL	21° PLASTIC 2"X.113 EG SMOOTH 2.5M	21° PLASTIC RH STRIP	2"	.113	SMOOTH	2.5M	ELECTROGALVANIZED
GR04G	21° PLASTIC 2"X.113 EG RING 5M	21° PLASTIC RH STRIP	2"	.113	RING	5M	ELECTROGALVANIZED
GR04G	21° PLASTIC 2"X.113 EG RING 5M	21° PLASTIC RH STRIP	2"	.113	RING	5M	ELECTROGALVANIZED
GR09G	21° PLASTIC 2 3/8"X.113 EG SMOOTH 5M	21° PLASTIC RH STRIP	2-3/8"	.113	SMOOTH	5M	ELECTROGALVANIZED
GR08GL	21° PLASTIC 2 3/8"X.113 EG RING 2.5M	21° PLASTIC RH STRIP	2-3/8"	.113	RING	2.5M	ELECTROGALVANIZED
GR08G	21° PLASTIC 2 3/8"X.113 EG RING 5M	21° PLASTIC RH STRIP	2-3/8"	.113	RING	5M	ELECTROGALVANIZED
GR301GL	21° PLASTIC 3"X.120 EG SMOOTH 2M	21° PLASTIC RH STRIP	3"	.120	SMOOTH	2M	ELECTROGALVANIZED
GR301G	21° PLASTIC 3"X.120 EG SMOOTH 4M	21° PLASTIC RH STRIP	3"	.120	SMOOTH	4M	ELECTROGALVANIZED
GR408GL	21° PLASTIC 3"X.120 EG RING 2M	21° PLASTIC RH STRIP	3"	.120	RING	2M	ELECTROGALVANIZED
GR408G	21° PLASTIC 3"X.120 EG RING 4M	21° PLASTIC RH STRIP	3"	.120	RING	4M	ELECTROGALVANIZED
GR033G	21° PLASTIC 3"X.131 EG SMOOTH 4M	21° PLASTIC RH STRIP	3"	.131	SMOOTH	4M	ELECTROGALVANIZED
GR034G	21° PLASTIC 3 1/4"X.131 GALV SMOOTH 4M	21° PLASTIC RH STRIP	3-1/4"	.131	SMOOTH	4M	ELECTROGALVANIZED

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GR4D148HG	21° PLASTIC 1 1/2"X.148 HG SMOOTH 5M	21° PLASTIC RH STRIP	1-1/2"	.148	SMOOTH	5M	HOT GALV.-EXTERIOR GALV.
GR05HG	21° PLASTIC 2"X.113 HG SMOOTH 5M	21° PLASTIC RH STRIP	2"	.113	SMOOTH	5M	HOT GALV.-EXTERIOR GALV.
GR04HG1M	21° PLASTIC 2" X .113 HG RING 1M	21° PLASTIC RH STRIP	2"	.113	RING	1M	HOT GALV.-EXTERIOR GALV.
GR04HG	21° PLASTIC 2"X.113 HG RING 5M	21° PLASTIC RH STRIP	2"	.113	RING	5M	HOT GALV.-EXTERIOR GALV.
GR449HG1M	21° PLASTIC 2 1/4"X.148 HG SMOOTH 1M	21° PLASTIC RH STRIP	2-1/4"	.148	SMOOTH	1M	HOT GALV.-EXTERIOR GALV.
GR449HG	21° PLASTIC 2 1/4"X.148 HG SMOOTH 4M	21° PLASTIC RH STRIP	2-1/4"	.148	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GR09HG1M	21° PLASTIC 2-3/8" X .113 HG SMOOTH 1M	21° PLASTIC RH STRIP	2-3/8"	.113	SMOOTH	1M	HOT GALV.-EXTERIOR GALV.
GR09HGL	21° PLASTIC 2 3/8"X.113 HG SMOOTH 2.5M	21° PLASTIC RH STRIP	2-3/8"	.113	SMOOTH	2.5M	HOT GALV.-EXTERIOR GALV.
GR09HG	21° PLASTIC 2 3/8"X.113 HG SMOOTH 5M	21° PLASTIC RH STRIP	2-3/8"	.113	SMOOTH	5M	HOT GALV.-EXTERIOR GALV.
GR238CSHG	21° PLASTIC 2 3/8"X.113 HDG SM CAS 2.5M	21° PLASTIC RH STRIP	2-3/8"	.113	SMOOTH	2.5M	HOT GALV.-EXTERIOR GALV.
GR08RHG1M	21° PLASTIC 2-3/8" X .113 HG RING 1M	21° PLASTIC RH STRIP	2-3/8"	.113	RING	1M	HOT GALV.-EXTERIOR GALV.
GR08HGL	21° PLASTIC 2 3/8"X.113 HG RING 2.5M	21° PLASTIC RH STRIP	2-3/8"	.113	RING	3M	HOT GALV.-EXTERIOR GALV.
GR08RHG	21° PLASTIC 2 3/8"X.113 HG RING 5M	21° PLASTIC RH STRIP	2-3/8"	.113	RING	5M	HOT GALV.-EXTERIOR GALV.
GR016HG	21° PLASTIC 2 3/8"X.113 HG SCREW 5M	21° PLASTIC RH STRIP	2-3/8"	.113	SCREW	5M	HOT GALV.-EXTERIOR GALV.
GR8D148HG1M	21° PLASTIC 2 3/8"X.148 HG SMOOTH 1M	21° PLASTIC RH STRIP	2-3/8"	.148	SMOOTH	1M	HOT GALV.-EXTERIOR GALV.
GR8D148HG	21° PLASTIC 2 3/8"X.148 HG SMOOTH 4M	21° PLASTIC RH STRIP	2-3/8"	.148	SMOOTH	5M	HOT GALV.-EXTERIOR GALV.
GR8D131HG	21° PLASTIC 2 1/2"X.131 HG SMOOTH 4M	21° PLASTIC RH STRIP	2-1/2"	.131	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GR212131HG1M	21° PLASTIC 2 1/2"X.131 HG SMOOTH 1M	21° PLASTIC RH STRIP	2-1/2"	.131	SMOOTH	1M	HOT GALV.-EXTERIOR GALV.
GR212131HG	21° PLASTIC 2 1/2"X.131 HG SMOOTH 5M	21° PLASTIC RH STRIP	2-1/2"	.131	SMOOTH	5M	HOT GALV.-EXTERIOR GALV.
GR212131RH	21° PLASTIC 2 1/2"X.131 HG RING 5M	21° PLASTIC RH STRIP	2-1/2"	.131	RING	5M	HOT GALV.-EXTERIOR GALV.
GR212148HG	21° PLASTIC 2 1/2"X.148 HG SMOOTH 4M	21° PLASTIC RH STRIP	2-1/2"	.148	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GR301HGL	21° PLASTIC 3"X.120 HG SMOOTH 2M	21° PLASTIC RH STRIP	3"	.120	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GR301HG	21° PLASTIC 3"X.120 HG SMOOTH 4M	21° PLASTIC RH STRIP	3"	.120	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GR408HG1M	21° PLASTIC 3" X .120 HG RING 1M	21° PLASTIC RH STRIP	3"	.120	RING	1M	HOT GALV.-EXTERIOR GALV.



COLLATED 21° PLASTIC STRIP NAILS

PRODUCT SPECIFICATIONS

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GR408HGL	21° PLASTIC 3"X120 HG RING 2M	21° PLASTIC RH STRIP	3"	.120	RING	2M	HOT GALV.-EXTERIOR GALV.
GR408HG	21° PLASTIC 3"X120 HG RING 4M	21° PLASTIC RH STRIP	3"	.120	RING	4M	HOT GALV.-EXTERIOR GALV.
GR015HG	21° PLASTIC 3"X120 HG SCREW 4M	21° PLASTIC RH STRIP	3"	.120	SCREW	4M	HOT GALV.-EXTERIOR GALV.
GR033HG1M	21° PLASTIC 3" X .131 HG SMOOTH 1M	21° PLASTIC RH STRIP	3"	.131	SMOOTH	1M	HOT GALV.-EXTERIOR GALV.
GR033HG	21° PLASTIC 3"X131 HG SMOOTH 4M	21° PLASTIC RH STRIP	3"	.131	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GR033RHG	21° PLASTIC 3"X131 HG RING 4M	21° PLASTIC RH STRIP	3"	.131	RING	4M	HOT GALV.-EXTERIOR GALV.
GR3148HG2M	21° PLASTIC 3"X.148 HG SMOOTH 2M	21° PLASTIC RH STRIP	3"	.148	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GR3148HG1M	21° PLASTIC 3"X148 HG SMOOTH 1M	21° PLASTIC RH STRIP	3"	.148	SMOOTH	1M	HOT GALV.-EXTERIOR GALV.
GR3148HG	21° PLASTIC 3"X148 HG SMOOTH 4M	21° PLASTIC RH STRIP	3"	.148	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GR444HGL	21° PLASTIC 3 1/4"X120 HG SMOOTH 2M	21° PLASTIC RH STRIP	3-1/4"	.120	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GR444HG	21° PLASTIC 3 1/4"X120 HG SMOOTH 2M	21° PLASTIC RH STRIP	3-1/4"	.120	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GR444RHGL	21° PLASTIC 3 1/4"X120 HG RING 2M	21° PLASTIC RH STRIP	3-1/4"	.120	RING	4M	HOT GALV.-EXTERIOR GALV.
GR444SHGL	21° PLASTIC 3 1/4"X120 HG SCREW 2M	21° PLASTIC RH STRIP	3-1/4"	.120	SCREW	2M	HOT GALV.-EXTERIOR GALV.
GR444SHG	21° PLASTIC 3 1/4"X120 HG SCREW 4M	21° PLASTIC RH STRIP	3-1/4"	.120	SCREW	4M	HOT GALV.-EXTERIOR GALV.
GR034HG1M	21° PLASTIC 3-1/4" X .131 HG SMOOTH 1M	21° PLASTIC RH STRIP	3-1/4"	.131	SMOOTH	1M	HOT GALV.-EXTERIOR GALV.
GR034HGL	21° PLASTIC 3 1/4"X131 HG SMOOTH 2M	21° PLASTIC RH STRIP	3-1/4"	.131	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GR034HG	21° PLASTIC 3 1/4"X131 HG SMOOTH 4M	21° PLASTIC RH STRIP	3-1/4"	.131	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GR314CSHG	21° PLASTIC 3 1/4"X131 HDG SM CAS 2M	21° PLASTIC RH STRIP	3-1/4"	.131	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GR034HGR1M	21° PLASTIC 3-1/4" X .131 HG RING 1M	21° PLASTIC RH STRIP	3-1/4"	.131	RING	1M	HOT GALV.-EXTERIOR GALV.
GR034SHG	21° PLASTIC 3-1/4"X131 HG SCREW 4M	21° PLASTIC RH STRIP	3-1/4"	.131	SCREW	4M	HOT GALV.-EXTERIOR GALV.
GR31448HG3	21° PLASTIC 3-1/4"X148 HG SMOOTH 3M	21° PLASTIC RH STRIP	3-1/4"	.148	SMOOTH	3M	HOT GALV.-EXTERIOR GALV.
GR314148HG	21° PLASTIC 3 1/4"X148 HG SMOOTH 4M	21° PLASTIC RH STRIP	3-1/4"	.148	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GR338HG	21° PLASTIC 3 3/8"X131 HG SMOOTH 4M	21° PLASTIC RH STRIP	3-3/8"	.131	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GR338RHG	21° PLASTIC 3-3/8"X.131 HG RING 4M	21° PLASTIC RH STRIP	3-3/8"	.131	RING	4M	HOT GALV.-EXTERIOR GALV.
GR312131HG	21° PLASTIC 3 1/2"X131 HG SMOOTH 4M	21° PLASTIC RH STRIP	3-1/2"	.131	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GR312131HGR1M	21° PLASTIC 3-1/2" X .131 HG RING 1M	21° PLASTIC RH STRIP	3-1/2"	.131	RING	1M	HOT GALV.-EXTERIOR GALV.
GR312162HG	21° PLASTIC 3 1/2"X162 HG SMOOTH 2.5M	21° PLASTIC RH STRIP	3-1/2"	.162	SMOOTH	2.5M	HOT GALV.-EXTERIOR GALV.
GR31262HG3	21° PLASTIC 3-1/2"X162 HG SMOOTH 3M	21° PLASTIC RH STRIP	3-1/2"	.162	SMOOTH	3M	HOT GALV.-EXTERIOR GALV.

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	ALLOY
MAXC62878	2 X 113 21D PL RS 304 1M	21° PLASTIC RH STRIP	37 PT	.113	RING	1M	304 STAINLESS STEEL
MAXC62886	2-3/8 X 120 21D PL RS 304 1M	21° PLASTIC RH STRIP	2-3/8"	.120	RING	1M	304 STAINLESS STEEL
MAXC62803	2-3/8 X 120 21D PL RS 304 2M	21° PLASTIC RH STRIP	2-3/8"	.120	RING	2M	304 STAINLESS STEEL
MAXC62892	3 X 120 21D PL RS 304 1M	21° PLASTIC RH STRIP	3"	.120	RING	1M	304 STAINLESS STEEL
MAXC62804Q	3 X 120 21D PL RS 304 2M	21° PLASTIC RH STRIP	3"	.120	RING	2M	304 STAINLESS STEEL
MAXC62894	3 X 131 21D PL RS 304 1M	21° PLASTIC RH STRIP	3"	.131	RING	1M	304 STAINLESS STEEL
MAXC62806	3 X 131 21D PL RS 304 2M	21° PLASTIC RH STRIP	3"	.131	RING	2M	304 STAINLESS STEEL
MAXC62902	3-1/4 X 120 21D PL RS 304 1M	21° PLASTIC RH STRIP	3-1/4"	.120	RING	1M	304 STAINLESS STEEL
MAXC62810	3-1/4 X 120 21D PL RS 304 2M	21° PLASTIC RH STRIP	3-1/4"	.120	RING	2M	304 STAINLESS STEEL
MAXC62905	3-1/4 X 131 21D PL RS 304 1M	21° PLASTIC RH STRIP	3-1/4"	.131	RING	1M	304 STAINLESS STEEL
MAXC62812	3-1/4 X 131 21D PL RS 304 2M	21° PLASTIC RH STRIP	3-1/4"	.131	RING	2M	304 STAINLESS STEEL



COLLATED 21° PLASTIC STRIP NAILS

PRODUCT SPECIFICATIONS

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	ALLOY
MAXC62907	3-1/4 X 131 21D PL SCW 304 1M	21° PLASTIC RH STRIP	3-1/4"	.131	SCREW	1M	304 STAINLESS STEEL
MAXC62879	2 X 113 21D PL RS 316 1M	21° PLASTIC RH STRIP	2"	.113	RING	1M	316 STAINLESS STEEL
MAXC62887	2-3/8 X 120 21D PL RS 316 1M	21° PLASTIC RH STRIP	2-3/8"	.120	RING	1M	316 STAINLESS STEEL
MAXC62893	3 X 120 21D PL RS 316 1M	21° PLASTIC RH STRIP	3"	.120	RING	1M	316 STAINLESS STEEL
MAXC62895	3 X 131 21D PL RS 316 1M	21° PLASTIC RH STRIP	3"	.131	RING	1M	316 STAINLESS STEEL
MAXC62896	3 X 131 21D PL SCW 316 1M	21° PLASTIC RH STRIP	3"	.131	SCREW	1M	316 STAINLESS STEEL
MAXC62903	3-1/4 X 120 21D PL RS 316 1M	21° PLASTIC RH STRIP	3-1/4"	.120	RING	1M	316 STAINLESS STEEL
MAXC62906	3-1/4 X 131 21D PL RS 316 1M	21° PLASTIC RH STRIP	3-1/4"	.131	RING	1M	316 STAINLESS STEEL
MAXC62900	3-1/2 X 131 21D PL RS 316 1M	21° PLASTIC RH STRIP	3-1/2"	.131	RING	1M	316 STAINLESS STEEL

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GRX2107	ID 21° PLASTIC 2-3/8X113 CTD SMOOTH 5M	ID 21° PLASTIC RH STRIP	2-3/8"	.113	SMOOTH	5M	BRIGHT COATED
GRX2102	ID 21° PLASTIC 2-3/8X148 CTD SMOOTH 4M	ID 21° PLASTIC RH STRIP	2-3/8"	.148	SMOOTH	4M	BRIGHT COATED
GRX21015M	ID 21° PLASTIC 2-1/2X131 CTD SMOOTH 5M	ID 21° PLASTIC RH STRIP	2-1/2"	.131	SMOOTH	5M	BRIGHT COATED
GRX2109	ID 21° PLASTIC 3-1/2X162 CTD SMOOTH 2.5M	ID 21° PLASTIC RH STRIP	3-1/2"	.162	SMOOTH	2.5M	BRIGHT COATED
GRX21093M	ID 21° PLASTIC 3-1/2X162 CTD SMOOTH 3M	ID 21° PLASTIC RH STRIP	3-1/2"	.162	SMOOTH	3M	BRIGHT COATED



Contact your PrimeSource® representative to order today
800-676-7777 | primesourcebp.com

WE BUILD AMERICA™