



COLLATED 30° PAPER TAPE NAILS

GENERAL CONSTRUCTION

- Bright Coated
- Electrogalvanized: All are in accordance with ASTM A 641, Class 1

Please Note - Electro Galvanized nails are not for use in cedar, cement board, redwood, most treated wood or exposed applications.


OUTDOOR CONSTRUCTION

- Outdoor Construction
All are in accordance with ASTM A153 Class D Standards and are suitable for most treated lumber
- Hot Dipped Galvanized
 - Hot Galvanized
 - Exterior Galvanized : Are in accordance with ESR-2914 and ASTM A153


PRIMEGUARD MAX

- Stainless Steel - AISI 304
- Stainless Steel - AISI 316 for marine applications

Grip-Rite Collated meet or exceed the ASTM F1667 Standard (if applicable).



TECHNICAL INFORMATION




SMOOTH(ϕ)	OFFSET HEAD DIAMETER(E)	NAIL LENGTH	LENGTH TOLERANCE(L)
0.113"(+0/-0.004")	0.256"-0.276"	2"	2"(+/-1/16")
0.120"(+0/-0.004")	0.256"-0.276"	2-3/8"	2.375"(+/-1/16")
0.131"(+0/-0.004")	0.268"-0.282"	3"	3"(+/-3/32")
		3-1/4"	3.25"(+/-3/32")
		3-1/2"	3.5"(+/-3/32")

NAIL WIRE DIAMETER	CLIPPED HEAD DIAMETER(D)	CLIPPED HEAD DIAMETER(d)
0.113"	0.268"-0.286"	0.191"-0.205"
0.120"	0.268"-0.286"	0.197"-0.225"
0.131"	0.280"-0.295"	0.205"-0.225"

RING (R)	SCREW(S)	BEND YIELD PSI
ϕ (+0.004"-+0.008")	ϕ (+0.006"-+0.010")	>100,000

HEAD THICKNESS(B)	NAILS/STRIP	FINISH
0.040"-0.055"	25 / 40	BRIGHT
0.040"-0.055"	25 / 40	ELECTRO GALV.
0.050"-0.063"	25 / 38 / 40	EXTERIOR GALV.
	25 / 35 / 40	HOT GALV.
		304 STAINLESS STEEL
		316 STAINLESS STEEL





COLLATED 30° PAPER TAPE NAILS

PRODUCT SPECIFICATIONS

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GRSP6D	30° PAPER 2"X.113 CTD SMOOTH 2.5M	30° CH PAPER STRIP	2"	.113	SMOOTH	2.5M	BRIGHT COATED
GRSP6DR	30° PAPER 2"X.113 CTD RING 2.5M	30° CH PAPER STRIP	2"	.113	RING	2.5M	BRIGHT COATED
GRRVSP8D	30° PPR RED 2-3/8X.113 SMOOTH 2.5M 40/ST	30° CH PAPER STRIP	2-3/8"	.113	SMOOTH	2.5M	BRIGHT COATED - LONG STRIP
GRRVSP8D5	RED 30° PAPER 2-3/8X.113 SMOOTH 5M 40/ST	30° CH PAPER STRIP	2-3/8"	.113	SMOOTH	5M	BRIGHT COATED - LONG STRIP
GRSP8DR	30° PAPER 2-3/8"X.113 CTD RING 2.5M	30° CH PAPER STRIP	2-3/8"	.113	RING	2.5M	BRIGHT COATED
GRRVSP8DR5	RED 30° PAPER 2-3/8X.113 RING 5M 40/ST	30° CH PAPER STRIP	2-3/8"	.113	RING	5M	BRIGHT COATED - LONG STRIP
GRSP10D	30° PAPER 3"X.120 CTD SMOOTH 2M	30° CH PAPER STRIP	3"	.120	SMOOTH	2M	BRIGHT COATED
GRSP10DR	30° PAPER 3"X.120 CTD RING 2M	30° CH PAPER STRIP	3"	.120	RING	2M	BRIGHT COATED
GRSP10DZ	30° PAPER 3"X.131 CTD SMOOTH 2M	30° CH PAPER STRIP	3"	.131	SMOOTH	2M	BRIGHT COATED
GRSP10DZL	30° PAPER 3"X.131 CTD SMOOTH 2.5M 375STRP	30° CH PAPER STRIP	3"	.131	SMOOTH	2.5M	BRIGHT COATED
GRRVP10DZ2	30° PPR RED 3" X.131 BRT SMOOTH 2M 40/S	30° CH PAPER STRIP	3"	.131	SMOOTH	2M	BRIGHT COATED - LONG STRIP
GRRVSP10DR	30° PPR RED 3X.120 RING 2.5M 40/ST	30° CH PAPER STRIP	3"	.131	RING	2.5M	BRIGHT COATED - LONG STRIP
GRSP12D	30° PAPER 3-1/4"X.120 CTD SMOOTH 2M	30° CH PAPER STRIP	3-1/4"	.120	SMOOTH	2M	BRIGHT COATED
GRSP12DZ	30° PAPER 3-1/4"X.131 CTD SMOOTH 2M	30° CH PAPER STRIP	3-1/4"	.131	SMOOTH	2M	BRIGHT COATED
GRSP12DZB	30° PAPER 3-1/4"X.131 CTD SMOOTH 2.5M	30° CH PAPER STRIP	3-1/4"	.131	SMOOTH	2.5M	BRIGHT COATED
GRRVSP12DZ	30° PPR RED 3-1/4X.131 BRT SM 2.5M 40/ST	30° CH PAPER STRIP	3-1/4"	.131	SMOOTH	2.5M	BRIGHT COATED - LONG STRIP
GRSP16DZ	30° PAPER 3-1/2"X.131 CTD SMOOTH 2M	30° CH PAPER STRIP	3-1/2"	.131	SMOOTH	2M	BRIGHT COATED
GRRVSP8DR	30° PPR RED 2-3/8X.113 RING 2.5M 40/ST	30° CH PAPER STRIP	2-3/8"	.113	RING	2.5M	BRIGHT COATED - LONG STRIP
GRRVSP10DZ	30° PPR RED 3X.131 BRT SMOOTH 2.5M 40/ST	30° CH PAPER STRIP	3"	.131	SMOOTH	2.5M	BRIGHT COATED - LONG STRIP
GRRVSP10D	30° PPR RED 3X.120 BRT SMOOTH 2.5M 40/ST	30° CH PAPER STRIP	3"	.120	SMOOTH	2.5M	BRIGHT COATED - LONG STRIP
GRRVSP12D	30° PPR RED 3-1/4X.120 BRT SM 2.5M 40/ST	30° CH PAPER STRIP	3-1/4"	.120	SMOOTH	2.5M	BRIGHT COATED - LONG STRIP

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GRSP6DG	30° PAPER 2"X.113 EG SMOOTH 2.5M	30° CH PAPER STRIP	2"	.113	SMOOTH	2.5M	ELECTROGALVANIZED
GRSP8DG	30° PAPER 2-3/8"X.113 EG SMOOTH 2.5M	30° CH PAPER STRIP	2-3/8"	.113	SMOOTH	2.5M	ELECTROGALVANIZED
GRSP8DRG	30° PAPER 2-3/8"X.113 EG RING 2.5M	30° CH PAPER STRIP	2-3/8"	.113	RING	2.5M	ELECTROGALVANIZED
GRSP10DG	30° PAPER 3"X.120 EG SMOOTH 2M	30° CH PAPER STRIP	3"	.120	SMOOTH	2M	ELECTROGALVANIZED
GRSP10DRG	30° PAPER 3"X.120 EG RING 2M	30° CH PAPER STRIP	3"	.120	RING	2M	ELECTROGALVANIZED
GRSP12DRG	30° PAPER 3-1/4"X.120 EG RING 2M	30° CH PAPER STRIP	3-1/4"	.120	RING	2M	ELECTROGALVANIZED



COLLATED 30° PAPER TAPE NAILS

PRODUCT SPECIFICATIONS

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GRSP6DHG	30° PAPER 2"X.113 HG SMOOTH 2.5M	30° CH PAPER STRIP	2"	.113	SMOOTH	2.5M	HOT GALV.-EXTERIOR GALV.
GRSP6DRHG	30° PAPER 2"X.113 HG RING 2.5M	30° CH PAPER STRIP	2"	.113	RING	2.5M	HOT GALV.-EXTERIOR GALV.
GRRV6DRHG	30° PPR RED 2"X.113 RING HG 2M 40/ST	30° CH PAPER STRIP	2"	.113	RING	2M	HOT GALV.-EXTERIOR GALV. (LONG STRIP)
GRSP8DHG	30° PAPER 2-3/8"X.113 HG SMOOTH 2.5M	30° CH PAPER STRIP	2-3/8"	.113	SMOOTH	2.5M	HOT GALV.-EXTERIOR GALV.
GRSP8DRHG	30° PAPER 2-3/8"X.113 HG RING 2.5M	30° CH PAPER STRIP	2-3/8"	.113	RING	2.5M	HOT GALV.-EXTERIOR GALV.
GRRV8DRHG	30° PPR RED 2-3/8"X.113 RING HG 2M 40/ST	30° CH PAPER STRIP	2-3/8"	.113	RING	2M	HOT GALV.-EXTERIOR GALV. (LONG STRIP)
GRSP10DHG	30° PAPER 3"X.120 HG SMOOTH 2M	30° CH PAPER STRIP	3"	.120	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GRSP10DRHG	30° PAPER 3"X.120 HG RING 2M	30° CH PAPER STRIP	3"	.120	RING	2M	HOT GALV.-EXTERIOR GALV.
GRRV10DRHG	30° PPR RED 3"X.120 RING HG 2M 40/ST	30° CH PAPER STRIP	3"	.120	RING	2M	HOT GALV.-EXTERIOR GALV. (LONG STRIP)
GRSP12DRHG	30° PAPER 3-1/4"X.120 HG RING 2M	30° CH PAPER STRIP	3-1/4"	.120	RING	2M	HOT GALV.-EXTERIOR GALV.
GRSP12DZHG	30° PAPER 3-1/4"X.131 HG SMOOTH 2M	30° CH PAPER STRIP	3-1/4"	.131	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GRRV12DRHG	30° PPR RED 3-1/4"X.131 RING HG 2M 40/ST	30° CH PAPER STRIP	3-1/4"	.131	RING	2M	HOT GALV.-EXTERIOR GALV. (LONG STRIP)
GRSP16DZHG	30° PAPER 3-1/2"X.131 HG SMOOTH 2M	30° CH PAPER STRIP	3-1/2"	.131	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GRSP6DH	30° RH PAPER 2" X .113 CTD SMOOTH 2.5M	30° OFFSET RH PAPER	2"	.113	SMOOTH	2.5M	BRIGHT COATED
GRP8H1	30° RH PAPER 2-3/8"X.113 CTD SMOOTH 1M	30° OFFSET RH PAPER	2-3/8"	.113	SMOOTH	1M	BRIGHT COATED
GRSP8DH	30° RH PAPER 2-3/8"X.113 CTD SMOOTH 2.5M	30° OFFSET RH PAPER	2-3/8"	.113	SMOOTH	2.5M	BRIGHT COATED
GRSP8H	30° RH PAPER 2-3/8"X.113 CTD SM 2.5M 38/ST	30° OFFSET RH PAPER	2-3/8"	.113	SMOOTH	2.5M	BRIGHT COATED
GRSP8D4M	30° RH PAPER 2-3/8"X.113 CTD SMOOTH 4M	30° OFFSET RH PAPER	2-3/8"	.113	SMOOTH	4M	BRIGHT COATED
GRP8RH1	30° RH PAPER 2-3/8"X.113 CTD RING 1M	30° OFFSET RH PAPER	2-3/8"	.113	RING	1M	BRIGHT COATED
GRSP8DRH	30° RH PAPER 2 3/8"X.113 CTD RING 2.5M	30° OFFSET RH PAPER	2-3/8"	.113	RING	2.5M	BRIGHT COATED
GRSP8DR4M	30° RH PAPER 2-3/8"X.113 CTD RING 4M	30° OFFSET RH PAPER	2-3/8"	.113	RING	4M	BRIGHT COATED
GRP10H1	30° RH PAPER 3"X.120 CTD SMOOTH 1M	30° OFFSET RH PAPER	3"	.120	SMOOTH	1M	BRIGHT COATED
GRSP10DH	30° RH PAPER 3"X.120 CTD SMOOTH 2M	30° OFFSET RH PAPER	3"	.120	SMOOTH	2M	BRIGHT COATED
GRSP10DH4M	30° RH PAPER 3"X.120 CTD SMOOTH 4M	30° OFFSET RH PAPER	3"	.120	SMOOTH	4M	BRIGHT COATED
GRSP10RH	30° RH PAPER 3"X.120 CTD RS 2M 38/STRIP	30° OFFSET RH PAPER	3"	.120	RING	2M	BRIGHT COATED
GRP10ZH1	30° RH PAPER 3"X.131 CTD SMOOTH 1M	30° OFFSET RH PAPER	3"	.131	SMOOTH	1M	BRIGHT COATED
GRSP10DZH	30° RH PAPER 3"X.131 CTD SMOOTH 2M	30° OFFSET RH PAPER	3"	.131	SMOOTH	2M	BRIGHT COATED
GRSP10ZH	30° RH PAPER 3"X.131 CTD SM 2M 35/STRIP	30° OFFSET RH PAPER	3"	.131	SMOOTH	2M	BRIGHT COATED
GRSP10DZH4	30° RH PAPER 3"X.131 CTD SMOOTH 4M	30° OFFSET RH PAPER	3"	.131	SMOOTH	4M	BRIGHT COATED
GRSP12DH	30° RH PAPER 3-1/4"X.120 CTD SMOOTH 2M	30° OFFSET RH PAPER	3-1/4"	.120	SMOOTH	2M	BRIGHT COATED
GRP12ZH1	30° RH PAPER 3-1/4"X.131 CTD SMOOTH 1M	30° OFFSET RH PAPER	3-1/4"	.131	SMOOTH	1M	BRIGHT COATED
GRSP12DZH	30° RH PAPER 3 1/4"X.131 CTD SMOOTH 2M	30° OFFSET RH PAPER	3-1/4"	.131	SMOOTH	2M	BRIGHT COATED
GRSP12ZH	30° RH PAPER 3-1/4"X.131 CTD SM 2M 35/ST	30° OFFSET RH PAPER	3-1/4"	.131	SMOOTH	2M	BRIGHT COATED
GRSP12DZH4	30° RH PAPER 3-1/4"X.131 CTD SMOOTH 4M	30° OFFSET RH PAPER	3-1/4"	.131	SMOOTH	4M	BRIGHT COATED
GRSP16DZH	30° RH PAPER 3-1/2"X.131 2M CTD SMOOTH 2M	30° OFFSET RH PAPER	3-1/2"	.131	SMOOTH	2M	BRIGHT COATED
GRSP16ZH	30° RH PAPER 3-1/2"X.131 CTD SM 2M 35/ST	30° OFFSET RH PAPER	3-1/2"	.131	SMOOTH	2M	BRIGHT COATED



COLLATED 30° PAPER TAPE NAILS

PRODUCT SPECIFICATIONS

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	COATING
GRP6RHGH1	30° RH PAPER 2"X.113 HG RING 1M	30° OFFSET RH PAPER	2"	.113	RING	1M	HOT GALV.-EXTERIOR GALV.
GSP6DRHGH	30° RH PAPER 2" X .113 HG RING 2.5M	30° OFFSET RH PAPER	2"	.113	RING	2.5M	HOT GALV.-EXTERIOR GALV.
GRSP6DRHGH4	30° RH PAPER 2"X.113 HG RING 4M	30° OFFSET RH PAPER	2"	.113	RING	4M	HOT GALV.-EXTERIOR GALV.
GRSP8DRHGH	30° RH PAPER 2-3/8"X.113 HG SMOOTH 2.5M	30° OFFSET RH PAPER	2-3/8"	.113	SMOOTH	2.5M	HOT GALV.-EXTERIOR GALV.
GRP8RHGH1	30° RH PAPER 2-3/8"X.113 HG RING 1M	30° OFFSET RH PAPER	2-3/8"	.113	RING	1M	HOT GALV.-EXTERIOR GALV.
GSP8DRHGH	30° RH PAPER 2 3/8" X .113 HG RING 2.5M	30° OFFSET RH PAPER	2-3/8"	.113	RING	2.5M	HOT GALV.-EXTERIOR GALV.
GRSP8RHGH	30° RH PAPER 2-3/8X.113 HG RS 2.5M 38/ST	30° OFFSET RH PAPER	2-3/8"	.113	RING	2.5M	HOT GALV.-EXTERIOR GALV.
GRSP8DRHGH4	30° RH PAPER 2-3/8"X.113 HG RING 4M	30° OFFSET RH PAPER	2-3/8"	.113	RING	4M	HOT GALV.-EXTERIOR GALV.
GSP10DHGH	30° RH PAPER 3" X .120 HG SMOOTH 2M	30° OFFSET RH PAPER	3"	.120	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GRSP10HGH	30° RH PAPER 3X.120 HG SM 2M 38/STRIP	30° OFFSET RH PAPER	3"	.120	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GRP10RHGH1	30° RH PAPER 3"X.120 HG RING 1M	30° OFFSET RH PAPER	3"	.120	RING	1M	HOT GALV.-EXTERIOR GALV.
GSP10DRHGH	30° RH PAPER 3"X.120 HG RING 2M	30° OFFSET RH PAPER	3"	.120	RING	2M	HOT GALV.-EXTERIOR GALV.
GRSP10RHGH	30° RH PAPER 3X.120 HG RS 2M 38/STRIP	30° OFFSET RH PAPER	3"	.120	RING	2M	HOT GALV.-EXTERIOR GALV.
GRSP10RHGH4	30° RH PAPER 3"X.120 HG RING 4M	30° OFFSET RH PAPER	3"	.120	RING	4M	HOT GALV.-EXTERIOR GALV.
GRP10ZHGH1	30° RH PAPER 3"X.131 HG SMOOTH 1M	30° OFFSET RH PAPER	3"	.131	SMOOTH	1M	HOT GALV.-EXTERIOR GALV.
GRP10ZHGH	30° RH PAPER 3" X.131 HG LONG 2.5M	30° OFFSET RH PAPER	3"	.131	SMOOTH	2.5M	HOT GALV.-EXTERIOR GALV.
GRSP10ZHGH	30° RH PAPER 3X.131 HG SM 2M 35/STRIP	30° OFFSET RH PAPER	3"	.131	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GSP10ZRHGH	30° RH PAPER 3" X .131 HG RING 2M	30° OFFSET RH PAPER	3"	.131	RING	2M	HOT GALV.-EXTERIOR GALV.
GSP12DRHGH	30° RH PAPER 3-1/4"X.120 HG RING 2M	30° OFFSET RH PAPER	3-1/4"	.120	RING	2M	HOT GALV.-EXTERIOR GALV.
GRP12ZHGH1	30° RH PAPER 3-1/4"X.131 HG SMOOTH 1M	30° OFFSET RH PAPER	3-1/4"	.131	SMOOTH	1M	HOT GALV.-EXTERIOR GALV.
GSP12DZHGH	30° RH PAPER 3 1/4" X .131 HG SMOOTH 2M	30° OFFSET RH PAPER	3-1/4"	.131	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GRSP12ZHGH	30° RH PAPER 3-1/4X.131 HG SM 2M 35/ST	30° OFFSET RH PAPER	3-1/4"	.131	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GSP12ZHGH4	30° RH PAPER 3-1/4"X.131 HG SMOOTH 4M	30° OFFSET RH PAPER	3-1/4"	.131	SMOOTH	4M	HOT GALV.-EXTERIOR GALV.
GSP12ZRHGH	30° RH PAPER 3-1/4X.131 HG RING 2M 35/ST	30° OFFSET RH PAPER	3-1/4"	.131	RING	2M	HOT GALV.-EXTERIOR GALV.
GRSP16RHGH	30° RH PAPER 3-1/2"X.131 HG SMOOTH 2M	30° OFFSET RH PAPER	3-1/2"	.131	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.
GRSP16ZHGH	30° RH PAPER 3-1/2X.131 HG SM 2M 35/ST	30° OFFSET RH PAPER	3-1/2"	.131	SMOOTH	2M	HOT GALV.-EXTERIOR GALV.

ITEM#	DESCRIPTION	GROUP	LENGTH	DIAMETER	SHANK	PIECE	ALLOY
MAXC62888	2-3/8 X 120 30D P ROUND HD RS 304 1M	30° OFFSET RH PAPER	2-3/8"	.120	RING	1M	304 STAINLESS STEEL
MAXC62898	3 X 131 30D P ROUND HD RS 304 1M	30° OFFSET RH PAPER	3"	.131	RING	1M	304 STAINLESS STEEL
MAXC62908	3-1/4 X 131 30D P ROUND HD RS 304 1M	30° OFFSET RH PAPER	3-1/4"	.131	RING	1M	304 STAINLESS STEEL
MAXC62889	2-3/8 X 120 30D P ROUND HD RS 316 1M	30° OFFSET RH PAPER	2-3/8"	.120	RING	1M	316 STAINLESS STEEL
MAXC62899	3 X 131 30D P ROUND HD RS 316 1M	30° OFFSET RH PAPER	3"	.131	RING	1M	316 STAINLESS STEEL
MAXC62909	3-1/4 X 131 30D P ROUND HD RS 316 1M	30° OFFSET RH PAPER	3-1/4"	.131	RING	1M	316 STAINLESS STEEL



Contact your PrimeSource® representative to order today
800-676-7777 | primesourcebp.com

WE BUILD AMERICA™