



Tool/Fastener Compatibility Guide

Grip-Rite®, the leader in fasteners, is committed to making your collated fastener purchase simple and easy. Use this cross-reference guide to quickly identify which tools are compatible with each type of Grip-Rite collated fastener, and vice versa (which Grip-Rite collated fasteners will fit your tools).

*Model numbers change often as new or updated tools are introduced. Please use the icon system when possible or call 800 676-7777 for assistance.

FIND THE APPLICATION → **FRAMING**

FASTENER CATEGORIES AND TYPES OF COLLATION ARE CLEARLY DEFINED

GRIP-RITE COLLATED FASTENER AND TOOL PACKAGING FEATURE THE ICON MATCHING SYSTEM

21° ROUND HEAD NAIL **21° Plastic Strip Round Head Nails**

Grip-Rite: GRTFR83

COMPATIBLE MAJOR TOOL BRANDS AND MODELS ARE LISTED WITH EACH TYPE OF GRIP-RITE COLLATED FASTENERS

GRIP-RITE COLLATED FASTENER PACKAGING CLEARLY SHOWCASE THE FASTENER ICON



ROOFING



15° COIL ROOFING NAILS

Grip-Rite: GRTCR175, GRTRN45
Bostitch: RN45, RN45B, RN46, RN46-1, BRN175A
DeWalt: DW45RN, DCN45RN
Duo-Fast: DRN-45, RN-175
Hitachi/Metabo HPT: NV45AB2, NV45A
Makita: AN451, AN453, AN454
Milwaukee: 7120-21, 7220-20, 7220-80
Max: CN445R, CN445R2, CN450R, CN445R3
Paslode: R-175C, 3175/44RCU
Porter-Cable: 134R, RN175, RN175A, RN175C
Ridgid: R175RNE
Senco: SNC40R, SCN200R, ROOFPRO 450, ROOFPRO 455XP



LASER WELDED PLASTIC CAPS AND STAPLES

Grip-Rite: GRC58, GRC58A
Pneu Tools: RC-58, RC-58II
Senco: BC58

SIDING/FENCING



0° COIL SHEET NAILS

Grip-Rite: GRTCS250Z
Duo-Fast: DF225C, 502950
Pneu Tools: CN65Z



15° PLASTIC SHEET NAILS

Grip-Rite: GRTCS250
Bostitch: N63CP, N63CP-1, N66C, N66C-1
DeWalt: DW66C-1
Hitachi/Metabo HPT: NV65AH, NV75AG, NV50A1, NV65AH2, NV65AN
Makita: AN611
Max: CN565D, CN565S, CN890S
Senco: SCN49, SCN55S, SCN56



15° WIRE WELD NAILS

Grip-Rite: GRTCS250
Bostitch: N50C, N55C, N65CP, N65CP-2, N66C-1
DeWalt: DW66C-1
Hitachi/Metabo HPT: NV65AB, NV65AE, NV65AH, NV75AG, NV50A1, NV65AH2, NV65AN
Makita: AN611
Max: CN55, CN550S, CN565S, CN665, CN890II, CN665D, CN565S3
Senco: SCN45, SCN49, SCN55S, SCN56

The list of tools for each fastener is not exclusive. Refer to tool manuals for fastener size compatibility.

Grip-Rite® is a trademark of PrimeSource Building Products, Inc. Other product and company names listed may be trademarks of their respective owners.



FRAMING



15° WIRE COIL NAILS

Grip-Rite: GRTC90

Bostitch: N80CB-1, BTF83C, N89C-1, N75C-1, N66C-1

DeWalt: DWF83C-1

Duo-Fast: CNW-75, DCN-325/85L

Hitachi/Metabo HPT: NV65AB, NV65AC, NV83A2, NV83A4, NV50A1, NV65AH2, NV65AN

Makita: AN-901, AN-621, AN902

Max: CN70, CN80, CN565, CN890S, CN890F2

Paslode: F275C, 4275/CN70, F325C

Porter-Cable: COIL350

Senco: SCN49, SCN60XP, SCN300



28° WIRE WELD CLIPPED HEAD & OFFSET ROUND HEAD NAILS

Grip-Rite: GRTFW83

Bostitch: GF28WW, 728WW, N80SB, LPF28WW6, BCF28WWM1/B, BTF83WW

Duo-Fast: CN-325B

Hitachi/Metabo HPT: NR90AF, NR90AFS, NR90AFS1

Max: SN883CH/28, SN890CH/28

Porter-Cable: FM350, FM350A



30° PAPER TAPE CLIPPED HEAD & OFFSET ROUND HEAD NAILS

Grip-Rite: GRTFC83, GRTCH350

Bostitch: F33PT, LP33PT, N79PT, N90PT

DeWalt: DCN692, D51822, D51823, DCN692M1, DCN692B

Hitachi/Metabo HPT:

NR83AA, NR83AA2, NR83AA3, NR90AA, NR90AD, NR90GC, NR90ADS, NR90ADS1, NR83AA4, NR83AA5

Husky: DPFR3490

Makita: AN942, AN943

Milwaukee: 7110-20

Max: SN883CH/34, SN890CH/34, SNH890CH2/34

Paslode: 5300, 900420, IMPULSE 35, CF325XP, PF250S, PF350S, 513000, F350S POWER MASTER PLUS

Porter-Cable: FC350, FC350A, FC350B

Ridgid: R350CHA, R350CHE

Senco: FRAMEPRO 601/651, FRAMEPRO 701XP/751XP, SN901XP, SN951XP



21° PLASTIC STRIP ROUND HEAD NAILS

Grip-Rite: GRTFR83, GRTFR83L, GRTRH350

Bostitch: F21PL, F21PL2, BTF21PL

DeWalt: DWF83PL, DCN21PLM

Duo-Fast: FDF350CN, CN-137, CN-350 CN-350B, SNP-83

Hitachi/Metabo HPT: NR83A2, NR90AE, NR90AEPR, NR83A3, NR83A3(S), NR83A5, NR83A5(S), NR90AES, NR90AES1, NR90A5

Husky: DPFR2190

Makita: AN922, AN923, AN8300, AN924

Max: GS683RH-EX, SN80, SN883RH2, SN890RH

Milwaukee: 274-22, 7200-20

Paslode: 5325/SRH, 5350/SRH-20, F350-21

Porter-Cable: FR350B

Ridgid: R350RHA, R350RHE, R350RHF

Senco: FRAMEPRO 502, FRAMEPRO 650, SN60, SN65, SN902XP, GT90FRH



28° PLASTIC STRIP CLIPPED HEAD NAILS

Duo-Fast: NSPM-325F

JOIST HANGER



33° PAPER TAPE JOIST HANGER NAILS

Grip-Rite: GR150, GR250, GRSB150, GRSB250

Bostitch: MCN150, MCN250

DeWalt: DWMC150

Hitachi/Metabo HPT: NR65AK, NR65AK(S), NR38AKM

Max: SN438J

Paslode: 5250/65S PP, 5250S PP, F250S-PP, PF150S-PP

Pneu Tools: RN150, RN250, RNS150, RNS250

Senco: HN150, HN250, JoistPro 150/250



33° PLASTIC STRIP JOIST HANGER NAILS

Grip-Rite: GR150, GR250

Bostitch: MCN150, MCN250

Pneu Tools: RN150, RN250

Senco: HN150, HN250



The list of tools for each fastener is not exclusive. Refer to tool manuals for fastener size compatibility.

Grip-Rite® is a trademark of PrimeSource Building Products, Inc. Other product and company names listed may be trademarks of their respective owners.



FINISH



15 GAUGE "DA"-STYLE ANGLED FINISH NAILS

Grip-Rite: GRTAN250, GRTAN1565
Bostitch: BTFP72155, GFN1564, DA1564K
DeWalt: D51276K, DWFP72155
Duo-Fast: DAFN-6480
Hitachi/Metabo HPT: NT65AA, NT65GA, NT65MA4
Makita: AF631, AF632, AF633, AF635
Max: NF510/15-50, NF550/15-65, NF665A/15
Milwaukee: 7140-21
Porter-Cable: CDA250, DA250, DA250A, DAFN-6480
Ridgid: R250AFE, R250AF18
Ryobi: P330-P163
Senco: FINISHPRO 42XP, FINISHPRO 35, SFN1, SFN40, GT65DA, FIP35MG



15 GAUGE "FN"-STYLE ANGLED FINISH NAILS

Bostitch: BTFP721556, N62FNK-2, N62FN, N60FN
Max: NF665/15, NF510/15-50



16 GAUGE ANGLED FINISH NAILS

Hitachi/Metabo HPT: NT65GB
Paslode: IM250A, 902400
Senco: FUSION F-16A
Milwaukee: 2742-21CT



16 GAUGE STRAIGHT FINISH NAILS

Grip-Rite: GRTFN250
DeWalt: D51257K, DWFP71917, DCN660D1
Duo-Fast: SURE SHOT 764
Hitachi/Metabo HPT: NT65GS
Makita: AF601
Max: NF565/16
Milwaukee: 2741-21CT, 2741-20, 7145-21
Paslode: 902000, T250S-F16, 916000, 515500
Porter-Cable: FN250C
Ridgid: R250SFE, R250SFF
Ryobi: YN250FSD, P325
Senco: FUSION F-16S, FINISHPRO 32, FINISHPRO 16XP



18 GAUGE BRAD NAILS

Grip-Rite: GRTBN125, GRTBN200, GRTBN200N
Bostitch: BT1855, SB-1850BN, BTFP12233
DeWalt: DWFP12231, DWFP12233, DCN680B, D51236, D51238
Duo-Fast: SURE SHOT 4450, SURE SHOT 4450ST
Grex: 185-GB, 1832, 1850, 1850GB
Hitachi/Metabo HPT: NT50AE, NT50AE2, NT32AE
Husky: DP2118G
Max: NF255FA/18, NF255SF2/18
Milwaukee: 2740-20, 7150-21, 2746-20, 2740-80
Paslode: T200-F18, 91000
Porter-Cable: BN200C, PCC790B
Ridgid: R213BNE, R692BBN, R09890B, R09890K, R231BNF
Ryobi: P320, P325, P330, P1855, YG200BN2



23 GAUGE HEADLESS MICROPINS

Grip-Rite: GRTPIN23, GRTPIN23A
Bostitch: HP118K
Duo-Fast: SURE SHOT 2336
Grex: P650, P630, P635
Hitachi/Metabo HPT: NP35A
Max: NF2235A, NF235A-25
Porter-Cable: PIN100
Ridgid: R138HPA
Senco: FINISHPRO 10, FINISHPRO 11, SHP10



The list of tools for each fastener is not exclusive. Refer to tool manuals for fastener size compatibility. Grip-Rite® is a trademark of PrimeSource Building Products, Inc. Other product and company names listed may be trademarks of their respective owners.

FLOORING



15-1/2 GAUGE FLOORING STAPLES 1/2" Crown

Grip-Rite: GR200FS
Bostitch: MIIFFS
Duo-Fast: FLOOR MASTER 200-S



"L" HARDWOOD FLOORING CLEATS

Grip-Rite: GR200LCN
Bostitch: MFN200, MFN201
Porter-Cable: FCN200
Senco: SHF10, SHF15, SHF50

CONCRETE



CONCRETE T-NAILS

Bostitch: MIIB12CNCT
Porta-Nails: 460A
Spotnails: MT9764, XT8664
Grex: 2564
Senco: GT40CP



STAPLES



"L"-STYLE NARROW CROWN STAPLES

Grip-Rite: GRTSN100, GRTSN150
Duo-Fast: KN01848, KN1848A, BN-1832, KG-1836
Hitachi/Metabo HPT: N3804, N3804A, N3804AB3
Makita: AF638
Max: TA238/18-6
Milwaukee: 7155-21
Porter-Cable: NS100, NS100A, NS150, NS150B
Ridgid: R150FSA, R150FSE
Ryobi: P1850, P360
Senco: LN4450, KMN4450, SKS-L, FINISHPRO 2N1, SLS15, SLS18



"SX"-STYLE NARROW CROWN STAPLES

Bostitch: SB150SX, S32SX, T28-5, SX150, SB2N1



"76"-STYLE MEDIUM CROWN STAPLES

Bostitch: S4
Duo-Fast: MS-7664E, DS-7656P, SM-7648, SM-7664
Makita: AT1150A
Max: TA551/76



"N"-STYLE MEDIUM CROWN STAPLES

Grip-Rite: GRTSM200, GRTSM2016C
DeWalt: DWFP1838
Hitachi/Metabo HPT: N5008AA, N5008AB, N5008AC, N5008AC2
Makita: AT1150A
Max: TA551/16-11, TA551A/16-11
Porter-Cable: MS200
Senco: SKS N12-N17, SNS40, SNS44XP, SNS200XP, SNS50XP, M1, M2



"GS"-STYLE MEDIUM CROWN STAPLES

Hitachi/Metabo HPT: N5010A
Paslode: IM200-16S, MA-S16L, 3150-S16, S200-S16, SCS200



"BCS"-STYLE MEDIUM CROWN STAPLES

Bostitch: 538S4, 438S4, 650S4-1, 750S4, 850S4



"BCS"-STYLE WIDE CROWN STAPLES

Grip-Rite: GRTS2550
Bostitch: 5450S2, 438S2, 450S2R, 438S2R
DeWalt: 451S2



"GSW"-STYLE WIDE CROWN STAPLES

Grip-Rite: GRTS1516, GRTS2350
Hitachi/Metabo HPT: N5021A
Paslode: 3150-W16, 3200-W16, S200-W16, MU-112-W16R, S150-W16R



"P"-STYLE WIDE CROWN STAPLES

Grip-Rite: GRTS1200, GRTS2650
Duo-Fast: KW-1748, KWR-1748, RNS-1748, RS-1748, SW-1748
Hitachi/Metabo HPT: N3824A, N5024A, N5024A2
Senco: MW, MWXP, PW, PW200, SPS, WC150XP, WC200XP

TACKER STAPLES



"A11" STYLE TACKER STAPLES

Grip-Rite: GRR11
Arrow: T-50, HT-50, HT-55
Bostitch: PHT150C, TR100, TR200, TRE500
Duo-Fast: SLAPSHOT
Rapid: A11, R11
Senco: PC0705, 85000, 85060



"54"-STYLE TACKER STAPLES

Grip-Rite: GRR11C
Rapid: 54



"50"-STYLE TACKER STAPLES

Grip-Rite: GR50BL
Duo-Fast: HT-550, SURESHOT 5020



"A19"-STYLE TACKER STAPLES

Grip-Rite: GRR19
Rapid: A19, R19



"STCR"-STYLE TACKER STAPLES

Grip-Rite: GRSTCR5019
Bostitch: H30-8, PC2K, PC4000, T6-8
Rapid: 31



"SHCR"-STYLE TACKER STAPLES

Bostitch: H2B



800-676-7777
www.grip-rite.com

Grip-Rite® is exclusively distributed by PrimeSource® Building Products, Inc. 1321 Greenway Drive, Irving, TX 75038-2504
 Visit www.grip-rite.com for details, warranty information and limitations. © 2020 PrimeSource® Building Products, Inc. All Rights Reserved.

WE BUILD AMERICA™