



COLLATED 21° PLASTIC STRIP ROUND HEAD FRAMING NAILS

FEATURES AND SPECIFICATIONS

GENERAL CONSTRUCTION

- Bright Coated
- Electrogalvanized: All are in accordance with ASTM A 641, Class 1

Please Note - Electrogalvanized nails are not for use in cedar, cement board, redwood, most treated wood or exposed applications.


OUTDOOR CONSTRUCTION

- Not all are in accordance with ASTM A153 Class D Standards and are suitable for most treated lumber
- Hot Dipped Galvanized
- Hot Galvanized
- Exterior Galvanized


PRIMEGUARD MAX®

- Stainless Steel - AISI 304
- Stainless Steel - AISI 316 for marine applications

Grip-Rite collated nails meet or exceed the ASTM F1667 Standard (if applicable).



ALL PRIMESOURCE® FASTENERS ARE MANUFACTURED IN AN ISO 9001 CERTIFIED AND APPROVED FACTORY TO PRIMESOURCE® PERFORMANCE SPECIFICATIONS AND PRINT DRAWINGS.



| NAIL WIRE DIAMETER | HEAD DIAMETER (D) | HEAD THICKNESS (B) |
|--------------------|-------------------|--------------------|
| 0.113" | 0.268" - 0.285" | 0.039" - 0.049" |
| 0.120" | 0.268" - 0.285" | 0.039" - 0.049" |
| 0.131" | 0.268" - 0.285" | 0.043" - 0.059" |
| 0.135" | 0.268" - 0.285" | 0.043" - 0.059" |
| 0.148" | 0.285" - 0.301" | 0.049" - 0.063" |
| 0.162" | 0.309" - 0.341" | 0.059" - 0.071" |

| NAIL SHANK | BEND YIELD | NAIL/STRIP |
|---------------------|------------|------------|
| SMOOTH (Ø) | | |
| 0.113" (+0/-0.004") | > 100,000 | 28 |
| 0.120" (+0/-0.004") | > 100,000 | 28 |
| 0.131" (+0/-0.004") | > 100,000 | 28 |
| 0.135" (+0/-0.004") | > 100,000 | 28 |
| 0.148" (+0/-0.004") | > 90,000 | 28 |
| 0.162" (+0/-0.004") | > 90,000 | 24 |
| RING (Ø) | | |
| 0.113" (+0/-0.004") | > 100,000 | 28 |
| 0.120" (+0/-0.004") | > 100,000 | 28 |
| 0.131" (+0/-0.004") | > 100,000 | 28 |
| 0.148" (+0/-0.004") | > 90,000 | 28 |
| SCREW (Ø) | | |
| 0.113" (+0/-0.004") | > 100,000 | 28 |
| 0.120" (+0/-0.004") | > 100,000 | 28 |
| 0.131" (+0/-0.004") | > 100,000 | 28 |
| 0.148" (+0/-0.004") | > 90,000 | 28 |

| NAIL LENGTH | LENGTH TOLERANCE (L) | FINISH |
|-------------|----------------------|---------------------|
| 1-1/2" | 1.500" (+0/-0.060") | BRIGHT |
| 2" | 2.000" (+0/-0.060") | ELECTROGALVANIZED |
| 2-1/8" | 2.125" (+0/-0.060") | EXTERIOR GALVANIZED |
| 2-1/4" | 2.250" (+0/-0.060") | HOT GALVANIZED |
| 2-3/8" | 2.375" (+0/-0.060") | 304 STAINLESS STEEL |
| 2-1/2" | 2.500" (+0/-0.060") | 316 STAINLESS STEEL |
| 3" | 3.000" (+0/-0.060") | |
| 3-1/4" | 3.250" (+0/-0.060") | |
| 3-3/8" | 3.375" (+0/-0.060") | |
| 3-1/2" | 3.500" (+0/-0.060") | |
| 4-1/2" | 4.500" (+0/-0.060") | |

NOTE: See Product Specifications Charts below for finish options

GENERAL CONSTRUCTION PRODUCT SPECIFICATIONS

| ITEM# | DESCRIPTION | GROUP | LENGTH | DIAMETER | SHANK | PIECE | COATING |
|------------|---|----------------------|--------|----------|--------|-------|---------------|
| GR112148 | 21° PLASTIC 1-1/2" X .148" CTD SMOOTH 6M | 21° PLASTIC RH STRIP | 1-1/2" | .148" | SMOOTH | 6M | BRIGHT COATED |
| GR03L | 21° PLASTIC 2" X .113" CTD SMOOTH 2.5M | 21° PLASTIC RH STRIP | 2" | .113" | SMOOTH | 2.5M | BRIGHT COATED |
| GR03 | 21° PLASTIC 2" X .113" CTD SMOOTH 5M | 21° PLASTIC RH STRIP | 2" | .113" | SMOOTH | 5M | BRIGHT COATED |
| GR04 | 21° PLASTIC 2" X .113" CTD RING 5M | 21° PLASTIC RH STRIP | 2" | .113" | RING | 5M | BRIGHT COATED |
| GR7D148 | 21° PLASTIC 2-1/8" X .148" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 2-1/8" | .148" | SMOOTH | 4M | BRIGHT COATED |
| GR7DL148 | 21° PLASTIC 2-1/4" X .148" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 2-1/4" | .148" | SMOOTH | 4M | BRIGHT COATED |
| GR7DL1481M | 21° PLASTIC 2-1/4" X .148" CTD SMOOTH 1M | 21° PLASTIC RH STRIP | 2-1/4" | .148" | SMOOTH | 1M | BRIGHT COATED |
| GR7DL148S | 21° PLASTIC 2-1/4" X .148" CTD SCREW 4M | 21° PLASTIC RH STRIP | 2-1/4" | .148" | SCREW | 4M | BRIGHT COATED |
| GR07L | 21° PLASTIC 2-3/8" X .113" CTD SMOOTH 2.5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SMOOTH | 2.5M | BRIGHT COATED |
| GR07 | 21° PLASTIC 2-3/8" X .113" CTD SMOOTH 5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SMOOTH | 5M | BRIGHT COATED |
| GR071M | 21° PLASTIC 2-3/8" X .113" CTD SMOOTH 1M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SMOOTH | 1M | BRIGHT COATED |
| GR08RL | 21° PLASTIC 2-3/8" X .113" CTD RING 2.5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | RING | 2.5M | BRIGHT COATED |
| GR08R | 21° PLASTIC 2-3/8" X .113" CTD RING 5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | RING | 5M | BRIGHT COATED |
| GR08R1M | 21° PLASTIC 2-3/8" X .113" CTD RING 1M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | RING | 1M | BRIGHT COATED |
| GR016 | 21° PLASTIC 2-3/8" X .113" CTD SCREW 5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SCREW | 5M | BRIGHT COATED |
| GR238120 | 21° PLASTIC 2-3/8" X .120" CTD SMOOTH 5M | 21° PLASTIC RH STRIP | 2-3/8" | .120" | SMOOTH | 5M | BRIGHT COATED |
| GR8D148 | 21° PLASTIC 2-3/8" X .148" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 2-3/8" | .148" | SMOOTH | 4M | BRIGHT COATED |
| GR8D1481M | 21° PLASTIC 2-3/8" X .148" CTD SMOOTH 1M | 21° PLASTIC RH STRIP | 2-3/8" | .148" | SMOOTH | 1M | BRIGHT COATED |
| GR8D148R | 21° PLASTIC 2-3/8" X .148" CTD RING 4M | 21° PLASTIC RH STRIP | 2-3/8" | .148" | RING | 4M | BRIGHT COATED |
| GR8D148S | 21° PLASTIC 2-3/8" X .148" CTD SCREW 4M | 21° PLASTIC RH STRIP | 2-3/8" | .148" | SCREW | 4M | BRIGHT COATED |
| GR8D131 | 21° PLASTIC 2-1/2" X .131" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 2-1/2" | .131" | SMOOTH | 4M | BRIGHT COATED |
| GR212131 | 21° PLASTIC 2-1/2" X .131" CTD SMOOTH 5M | 21° PLASTIC RH STRIP | 2-1/2" | .131" | SMOOTH | 5M | BRIGHT COATED |
| GR2121311M | 21° PLASTIC 2-1/2" X .131" CTD SMOOTH 1M | 21° PLASTIC RH STRIP | 2-1/2" | .131" | SMOOTH | 1M | BRIGHT COATED |
| GR212131R | 21° PLASTIC 2-1/2" X .131" CTD RING 5M | 21° PLASTIC RH STRIP | 2-1/2" | .131" | RING | 5M | BRIGHT COATED |
| GR212148 | 21° PLASTIC 2-1/2X.148" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 2-1/2" | .148" | SMOOTH | 4M | BRIGHT COATED |
| GR212148R | 21° PLASTIC 2-1/2" X .148" CTD RING 4M | 21° PLASTIC RH STRIP | 2-1/2" | .148" | RING | 4M | BRIGHT COATED |
| GR301L | 21° PLASTIC 3" X .120" CTD SMOOTH 2M | 21° PLASTIC RH STRIP | 3" | .120" | SMOOTH | 2M | BRIGHT COATED |
| GR301 | 21° PLASTIC 3" X .120" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 3" | .120" | SMOOTH | 4M | BRIGHT COATED |
| GR3011M | 21° PLASTIC 3" X .120" CTD SMOOTH 1M | 21° PLASTIC RH STRIP | 3" | .120" | SMOOTH | 1M | BRIGHT COATED |
| GR3120S | 21° PLASTIC 3" X .120" CTD SCREW 4M | 21° PLASTIC RH STRIP | 3" | .120" | SCREW | 4M | BRIGHT COATED |
| GR014L | 21° PLASTIC 3" X .131" CTD SMOOTH 2M | 21° PLASTIC RH STRIP | 3" | .131" | SMOOTH | 2M | BRIGHT COATED |
| GR014 | 21° PLASTIC 3" X .131" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 3" | .131" | SMOOTH | 4M | BRIGHT COATED |
| GR0141M | 21° PLASTIC 3" X .131" CTD SMOOTH 1M | 21° PLASTIC RH STRIP | 3" | .131" | SMOOTH | 1M | BRIGHT COATED |
| GR014R | 21° PLASTIC 3" X .131" CTD RING 4M | 21° PLASTIC RH STRIP | 3" | .131" | RING | 4M | BRIGHT COATED |
| GR3131S | 21° PLASTIC 3" X .131" CTD SCREW 4M | 21° PLASTIC RH STRIP | 3" | .131" | SCREW | 4M | BRIGHT COATED |
| GR31481M | 21° PLASTIC 3" X .148" CTD SMOOTH 1M | 21° PLASTIC RH STRIP | 3" | .148" | SMOOTH | 1M | BRIGHT COATED |
| GR3148 | 21° PLASTIC 3" X .148" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 3" | .148" | SMOOTH | 4M | BRIGHT COATED |
| GR444L | 21° PLASTIC 3-1/4" X .120" CTD SMOOTH 2M | 21° PLASTIC RH STRIP | 3-1/4" | .120" | SMOOTH | 2M | BRIGHT COATED |
| GR444 | 21° PLASTIC 3-1/4" X .120" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 3-1/4" | .120" | SMOOTH | 4M | BRIGHT COATED |
| GR024L | 21° PLASTIC 3-1/4" X .131" CTD SMOOTH 2M | 21° PLASTIC RH STRIP | 3-1/4" | .131" | SMOOTH | 2M | BRIGHT COATED |
| GR024 | 21° PLASTIC 3-1/4" X .131" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 3-1/4" | .131" | SMOOTH | 4M | BRIGHT COATED |
| GR0241M | 21° PLASTIC 3-1/4" X .131" CTD SMOOTH 1M | 21° PLASTIC RH STRIP | 3-1/4" | .131" | SMOOTH | 1M | BRIGHT COATED |
| GR3141481M | 21° PLASTIC 3-1/4" X .148" CTD SMOOTH 980CT | 21° PLASTIC RH STRIP | 3-1/4" | .148" | SMOOTH | 980 | BRIGHT COATED |
| GR3141483M | 21° PLASTIC 3-1/4" X .148" CTD SMOOTH 3M | 21° PLASTIC RH STRIP | 3-1/4" | .148" | SMOOTH | 3M | BRIGHT COATED |
| GR314148 | 21° PLASTIC 3-1/4" X .148" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 3-1/4" | .148" | SMOOTH | 4M | BRIGHT COATED |
| GR314148S | 21° PLASTIC 3-1/4" X .148" CTD SCREW 4M | 21° PLASTIC RH STRIP | 3-1/4" | .148" | SCREW | 4M | BRIGHT COATED |

GENERAL CONSTRUCTION PRODUCT SPECIFICATIONS CONT'D

| ITEM# | DESCRIPTION | GROUP | LENGTH | DIAMETER | SHANK | PIECE | COATING |
|------------|--|----------------------|--------|----------|--------|-------|-------------------|
| GR338 | 21° PLASTIC 3-3/8" X .131" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 3-3/8" | .131" | SMOOTH | 4M | BRIGHT COATED |
| GR312131L | 21° PLASTIC 3-1/2" X .131" CTD SMOOTH 2M | 21° PLASTIC RH STRIP | 3-1/2" | .131" | SMOOTH | 2M | BRIGHT COATED |
| GR312131 | 21° PLASTIC 3-1/2" X .131" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 3-1/2" | .131" | SMOOTH | 4M | BRIGHT COATED |
| GR3121311M | 21° PLASTIC 3-1/2" X .131" CTD SMOOTH 1M | 21° PLASTIC RH STRIP | 3-1/2" | .131" | SMOOTH | 1M | BRIGHT COATED |
| GR3121354M | 21° PLASTIC 3-1/2" X .135" CTD SMOOTH 4M | 21° PLASTIC RH STRIP | 3-1/2" | .135" | SMOOTH | 4M | BRIGHT COATED |
| GR312162 | 21° PLASTIC 3-1/2" X .162" CTD SMOOTH 2.5M | 21° PLASTIC RH STRIP | 3-1/2" | .162" | SMOOTH | 2.5M | BRIGHT COATED |
| GR3121623M | 21° PLASTIC 3-1/2" X .162" CTD SMOOTH 3M | 21° PLASTIC RH STRIP | 3-1/2" | .162" | SMOOTH | 3M | BRIGHT COATED |
| GR05GL | 21° PLASTIC 2" X .113" EG SMOOTH 2.5M | 21° PLASTIC RH STRIP | 2" | .113" | SMOOTH | 2.5M | ELECTROGALVANIZED |
| GR04G | 21° PLASTIC 2" X .113" EG RING 5M | 21° PLASTIC RH STRIP | 2" | .113" | RING | 5M | ELECTROGALVANIZED |
| GR09GL | 21° PLASTIC 2-3/8" X .113" EG SMOOTH 2.5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SMOOTH | 2.5M | ELECTROGALVANIZED |
| GR09G | 21° PLASTIC 2-3/8" X .113" EG SMOOTH 5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SMOOTH | 5M | ELECTROGALVANIZED |
| GR08GL | 21° PLASTIC 2-3/8" X .113" EG RING 2.5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | RING | 2.5M | ELECTROGALVANIZED |
| GR08G | 21° PLASTIC 2-3/8" X .113" EG RING 5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | RING | 5M | ELECTROGALVANIZED |
| GR301GL | 21° PLASTIC 3" X .120" EG SMOOTH 2M | 21° PLASTIC RH STRIP | 3" | .120" | SMOOTH | 2M | ELECTROGALVANIZED |
| GR301G | 21° PLASTIC 3" X .120" EG SMOOTH 4M | 21° PLASTIC RH STRIP | 3" | .120" | SMOOTH | 4M | ELECTROGALVANIZED |
| GR408GL | 21° PLASTIC 3" X .120" EG RING 2M | 21° PLASTIC RH STRIP | 3" | .120" | RING | 2M | ELECTROGALVANIZED |
| GR408G | 21° PLASTIC 3" X .120" EG RING 4M | 21° PLASTIC RH STRIP | 3" | .120" | RING | 4M | ELECTROGALVANIZED |
| GR033G | 21° PLASTIC 3" X .131" EG SMOOTH 4M | 21° PLASTIC RH STRIP | 3" | .131" | SMOOTH | 4M | ELECTROGALVANIZED |
| GR034G | 21° PLASTIC 3-1/4" X .131" GALV SMOOTH 4M | 21° PLASTIC RH STRIP | 3-1/4" | .131" | SMOOTH | 4M | ELECTROGALVANIZED |
| GR034GL | 21° PLASTIC 3-1/4" X .131" EG SMOOTH 2M | 21° PLASTIC RH STRIP | 3-1/4" | .131" | SMOOTH | 2M | ELECTROGALVANIZED |
| GR212131G | 21° PLASTIC 2-1/2" X .131" EG SMOOTH 5M | 21° PLASTIC RH STRIP | 2-1/2" | .131" | SMOOTH | 5M | ELECTROGALVANIZED |
| GR312131G | 21° PLASTIC 3-1/2" X .131" EG SMOOTH 4M | 21° PLASTIC RH STRIP | 3-1/2" | .131" | SMOOTH | 4M | ELECTROGALVANIZED |

| ITEM# | DESCRIPTION | LENGTH | DIAMETER | SHANK | PIECE | COATING |
|-----------|---|--------|----------|--------|-------|---------------|
| GRX2107 | ID 21° PLASTIC 2-3/8" X .113" CTD SMOOTH 5M | 2-3/8" | .113" | SMOOTH | 5M | BRIGHT COATED |
| GRX2102 | ID 21° PLASTIC 2-3/8" X .148" CTD SMOOTH 4M | 2-3/8" | .148" | SMOOTH | 4M | BRIGHT COATED |
| GRX21015M | ID 21° PLASTIC 2-1/2" X .131" CTD SMOOTH 5M | 2-1/2" | .131" | SMOOTH | 5M | BRIGHT COATED |
| GRX21093M | ID 21° PLASTIC 3-1/2" X .162" CTD SMOOTH 3M | 3-1/2" | .162" | SMOOTH | 3M | BRIGHT COATED |

OUTDOOR CONSTRUCTION PRODUCT SPECIFICATIONS

| ITEM# | DESCRIPTION | GROUP | LENGTH | DIAMETER | SHANK | PIECE | COATING |
|-------------|--|----------------------|--------|----------|--------|-------|------------------------------------|
| GR4D148HG | 21° PLASTIC 1-1/2" X .148" HG SMOOTH 5M | 21° PLASTIC RH STRIP | 1-1/2" | .148" | SMOOTH | 5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR05HG | 21° PLASTIC 2" X .113" HG SMOOTH 5M | 21° PLASTIC RH STRIP | 2" | .113" | SMOOTH | 5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR04HG1M | 21° PLASTIC 2" X .113" HG RING 1M | 21° PLASTIC RH STRIP | 2" | .113" | RING | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR449HG1M | 21° PLASTIC 2-1/4" X .148" HG SMOOTH 1M | 21° PLASTIC RH STRIP | 2" | .113" | RING | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR04HG | 21° PLASTIC 2" X .113" HG RING 5M | 21° PLASTIC RH STRIP | 2" | .113" | RING | 5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR449HG | 21° PLASTIC 2-1/4" X .148" HG SMOOTH 4M | 21° PLASTIC RH STRIP | 2-1/4" | .148" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR09HG1M | 21° PLASTIC 2-3/8" X .113" HG SMOOTH 1M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SMOOTH | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR09HGL | 21° PLASTIC 2-3/8" X .113" HG SMOOTH 2.5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SMOOTH | 2.5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR09HG | 21° PLASTIC 2-3/8" X .113" HG SMOOTH 5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SMOOTH | 5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR238CSHG | 21° PLASTIC 2-3/8" X .113" HDG SM CAS 2.5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SMOOTH | 2.5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR08RHG1M | 21° PLASTIC 2-3/8" X .113" HG RING 1M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | RING | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR08HGL | 21° PLASTIC 2-3/8" X .113" HG RING 2.5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | RING | 3M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR08RHG | 21° PLASTIC 2-3/8" X .113" HG RING 5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | RING | 5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR016HG | 21° PLASTIC 2-3/8" X .113" HG SCREW 5M | 21° PLASTIC RH STRIP | 2-3/8" | .113" | SCREW | 5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR8D148HG1M | 21° PLASTIC 2-3/8" X .148" HG SMOOTH 1M | 21° PLASTIC RH STRIP | 2-3/8" | .148" | SMOOTH | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |

■ OUTDOOR CONSTRUCTION PRODUCT SPECIFICATIONS CONT'D

| ITEM# | DESCRIPTION | GROUP | LENGTH | DIAMETER | SHANK | PIECE | COATING |
|---------------|---|----------------------|--------|----------|--------|-------|------------------------------------|
| GR8D148HG | 21" PLASTIC 2-3/8" X .148" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 2-3/8" | .148" | SMOOTH | 5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR8D131HG | 21" PLASTIC 2-1/2" X .131" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 2-1/2" | .131" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR212131HG1M | 21" PLASTIC 2-1/2" X .131" HG SMOOTH 1M | 21" PLASTIC RH STRIP | 2-1/2" | .131" | SMOOTH | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR212131HG | 21" PLASTIC 2-1/2" X .131" HG SMOOTH 5M | 21" PLASTIC RH STRIP | 2-1/2" | .131" | SMOOTH | 5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR212131RH | 21" PLASTIC 2-1/2" X .131" HG RING 5M | 21" PLASTIC RH STRIP | 2-1/2" | .131" | RING | 5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR212148HG | 21" PLASTIC 2-1/2" X .148" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 2-1/2" | .148" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR301HGL | 21" PLASTIC 3" X .120" HG SMOOTH 2M | 21" PLASTIC RH STRIP | 3" | .120" | SMOOTH | 2M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR301HG | 21" PLASTIC 3" X .120" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 3" | .120" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR408HG1M | 21" PLASTIC 3" X .120" HG RING 1M | 21" PLASTIC RH STRIP | 3" | .120" | RING | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR408HGL | 21" PLASTIC 3" X .120" HG RING 2M | 21" PLASTIC RH STRIP | 3" | .120" | RING | 2M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR408HG | 21" PLASTIC 3" X .120" HG RING 4M | 21" PLASTIC RH STRIP | 3" | .120" | RING | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR015HG | 21" PLASTIC 3" X .120" HG SCREW 4M | 21" PLASTIC RH STRIP | 3" | .120" | SCREW | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR033HG1M | 21" PLASTIC 3" X .131" HG SMOOTH 1M | 21" PLASTIC RH STRIP | 3" | .131" | SMOOTH | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR033HG | 21" PLASTIC 3" X .131" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 3" | .131" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR033RHG | 21" PLASTIC 3" X .131" HG RING 4M | 21" PLASTIC RH STRIP | 3" | .131" | RING | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR3148HG1M | 21" PLASTIC 3" X .148" HG SMOOTH 1M | 21" PLASTIC RH STRIP | 3" | .148" | SMOOTH | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR3148HG2M | 21" PLASTIC 3" X .148" HG SMOOTH 2M | 21" PLASTIC RH STRIP | 3" | .148" | SMOOTH | 2M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR3148HG | 21" PLASTIC 3" X .148" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 3" | .148" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR444HGL | 21" PLASTIC 3-1/4" X .120" HG SMOOTH 2M | 21" PLASTIC RH STRIP | 3-1/4" | .120" | SMOOTH | 2M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR444HG | 21" PLASTIC 3-1/4" X .120" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 3-1/4" | .120" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR444RHGL | 21" PLASTIC 3-1/4" X .120" HG RING 2M | 21" PLASTIC RH STRIP | 3-1/4" | .120" | RING | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR444SHGL | 21" PLASTIC 3-1/4" X .120" HG SCREW 2M | 21" PLASTIC RH STRIP | 3-1/4" | .120" | SCREW | 2M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR444SHG | 21" PLASTIC 3-1/4" X .120" HG SCREW 4M | 21" PLASTIC RH STRIP | 3-1/4" | .120" | SCREW | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR034HG1M | 21" PLASTIC 3-1/4" X .131" HG SMOOTH 1M | 21" PLASTIC RH STRIP | 3-1/4" | .131" | SMOOTH | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR034HGL | 21" PLASTIC 3-1/4" X .131" HG SMOOTH 2M | 21" PLASTIC RH STRIP | 3-1/4" | .131" | SMOOTH | 2M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR034HG | 21" PLASTIC 3-1/4" X .131" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 3-1/4" | .131" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR314CSHG | 21" PLASTIC 3-1/4" X .131" HDG SM CAS 2M | 21" PLASTIC RH STRIP | 3-1/4" | .131" | SMOOTH | 2M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR034HGR1M | 21" PLASTIC 3-1/4" X .131" HG RING 1M | 21" PLASTIC RH STRIP | 3-1/4" | .131" | RING | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR034SHG | 21" PLASTIC 3-1/4" X .131" HG SCREW 4M | 21" PLASTIC RH STRIP | 3-1/4" | .131" | SCREW | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR31448HG3 | 21" PLASTIC 3-1/4" X .148" HG SMOOTH 3M | 21" PLASTIC RH STRIP | 3-1/4" | .148" | SMOOTH | 3M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR314148HG | 21" PLASTIC 3-1/4" X .148" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 3-1/4" | .148" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR338HG | 21" PLASTIC 3-3/8" X .131" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 3-3/8" | .131" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR338RHG | 21" PLASTIC 3-3/8" X .131" HG RING 4M | 21" PLASTIC RH STRIP | 3-3/8" | .131" | RING | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR312131HG | 21" PLASTIC 3-1/2" X .131" HG SMOOTH 4M | 21" PLASTIC RH STRIP | 3-1/2" | .131" | SMOOTH | 4M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR312131HGR1M | 21" PLASTIC 3-1/2" X .131" HG RING 1M | 21" PLASTIC RH STRIP | 3-1/2" | .131" | RING | 1M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR312162HG | 21" PLASTIC 3-1/2" X .162" HG SMOOTH 2.5M | 21" PLASTIC RH STRIP | 3-1/2" | .162" | SMOOTH | 2.5M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR31262HG3 | 21" PLASTIC 3-1/2" X .162" HG SMOOTH 3M | 21" PLASTIC RH STRIP | 3-1/2" | .162" | SMOOTH | 3M | HOT GALVANIZED-EXTERIOR GALVANIZED |
| GR412148RHG | 21" PLASTIC 4-1/2" X 0.148" HG RING 2M | 21" PLASTIC RH STRIP | 4-1/2" | 0.148" | RING | 2M | HOT GALVANIZED-EXTERIOR GALVANIZED |

■ PRIMEGUARD MAX® PRODUCT SPECIFICATIONS

| ITEM# | DESCRIPTION | GROUP | LENGTH | DIAMETER | SHANK | PIECE | ALLOY |
|-----------|---|----------------------|--------|----------|-------|-------|---------------------|
| MAXC62878 | 2" X .113" 21D PL RS 304 1M | 21" PLASTIC RH STRIP | 2" | .113" | RING | 1M | 304 STAINLESS STEEL |
| MAXC62886 | 2-3/8" X .120" 21D PL RS 304 1M | 21" PLASTIC RH STRIP | 2-3/8" | .120" | RING | 1M | 304 STAINLESS STEEL |
| MAXC62888 | 2-3/8" X .120" 30D P ROUND HD RS 304 1M | 21" PLASTIC RH STRIP | 2-3/8" | .120" | RING | 1M | 304 STAINLESS STEEL |
| MAXC62890 | 2-3/8" X .120" 28D W RD HEAD RS 304 1M | 21" PLASTIC RH STRIP | 2-3/8" | .120" | RING | 1M | 304 STAINLESS STEEL |
| MAXC62803 | 2-3/8" X .120" 21D PL RS 304 2M | 21" PLASTIC RH STRIP | 2-3/8" | .120" | RING | 2M | 304 STAINLESS STEEL |

PRIMEGUARD MAX® PRODUCT SPECIFICATIONS CONT'D

| ITEM# | DESCRIPTION | GROUP | LENGTH | DIAMETER | SHANK | PIECE | ALLOY |
|-----------|-------------------------------------|----------------------|--------|----------|-------|-------|---------------------|
| MAXC62892 | 3" X .120" 21D PL RS 304 1M | 21° PLASTIC RH STRIP | 3" | .120" | RING | 1M | 304 STAINLESS STEEL |
| MAXC62804 | 3" X .120" 21D PL RS 304 2M | 21° PLASTIC RH STRIP | 3" | .120" | RING | 2M | 304 STAINLESS STEEL |
| MAXC62894 | 3" X .131" 21D PL RS 304 1M | 21° PLASTIC RH STRIP | 3" | .131" | RING | 1M | 304 STAINLESS STEEL |
| MAXC62898 | 3" X .131" 30D P ROUND HD RS 304 1M | 21° PLASTIC RH STRIP | 3" | .131" | RING | 1M | 304 STAINLESS STEEL |
| MAXC62806 | 3" X .131" 21D PL RS 304 2M | 21° PLASTIC RH STRIP | 3" | .131" | RING | 2M | 304 STAINLESS STEEL |
| MAXC62902 | 3-1/4" X .120" 21D PL RS 304 1M | 21° PLASTIC RH STRIP | 3-1/4" | .120" | RING | 1M | 304 STAINLESS STEEL |
| MAXC62810 | 3-1/4" X .120" 21D PL RS 304 2M | 21° PLASTIC RH STRIP | 3-1/4" | .120" | RING | 2M | 304 STAINLESS STEEL |
| MAXC62905 | 3-1/4" X .131" 21D PL RS 304 1M | 21° PLASTIC RH STRIP | 3-1/4" | .131" | RING | 1M | 304 STAINLESS STEEL |
| MAXC62812 | 3-1/4" X .131" 21D PL RS 304 2M | 21° PLASTIC RH STRIP | 3-1/4" | .131" | RING | 2M | 304 STAINLESS STEEL |
| MAXC62907 | 3-1/4" X .131" 21D PL SCW 304 1M | 21° PLASTIC RH STRIP | 3-1/4" | .131" | SCREW | 1M | 304 STAINLESS STEEL |
| MAXC62879 | 2" X .113" 21D PL RS 316 1M | 21° PLASTIC RH STRIP | 2" | .113" | RING | 1M | 316 STAINLESS STEEL |
| MAXC62887 | 2-3/8" X .120" 21D PL RS 316 1M | 21° PLASTIC RH STRIP | 2-3/8" | .120" | RING | 1M | 316 STAINLESS STEEL |
| MAXC62893 | 3" X .120" 21D PL RS 316 1M | 21° PLASTIC RH STRIP | 3" | .120" | RING | 1M | 316 STAINLESS STEEL |
| MAXC62895 | 3" X .131" 21D PL RS 316 1M | 21° PLASTIC RH STRIP | 3" | .131" | RING | 1M | 316 STAINLESS STEEL |
| MAXC62899 | 3" X .131" 30D P ROUND HD RS 316 1M | 21° PLASTIC RH STRIP | 3" | .131" | RING | 1M | 316 STAINLESS STEEL |
| MAXC62896 | 3" X .131" 21D PL SCW 316 1M | 21° PLASTIC RH STRIP | 3" | .131" | SCREW | 1M | 316 STAINLESS STEEL |
| MAXC62903 | 3-1/4" X .120" 21D PL RS 316 1M | 21° PLASTIC RH STRIP | 3-1/4" | .120" | RING | 1M | 316 STAINLESS STEEL |
| MAXC62906 | 3-1/4" X .131" 21D PL RS 316 1M | 21° PLASTIC RH STRIP | 3-1/4" | .131" | RING | 1M | 316 STAINLESS STEEL |
| MAXC62900 | 3-1/2" X .131" 21D PL RS 316 1M | 21° PLASTIC RH STRIP | 3-1/2" | .131" | RING | 1M | 316 STAINLESS STEEL |



A PrimeSource Brands Company



Contact your PrimeSource Building Products representative to order today.
800-676-7777 | primesourcebp.com

Grip-Rite® Collated 21° Plastic Strip Round Head Framing Nails are exclusively distributed by **PrimeSource® Building Products, Inc.**
 1321 Greenway Drive, Irving, TX 75038-2504. Visit grip-rite.com or call 800-676-7777 for details, warranty information and limitations.
 Pricing and availability are subject to change without notice. © 2025 PrimeSource® Building Products, Inc. All Rights Reserved.

GRCSINTDS-062325-718898